

1. Product and Company	y Identification
Identification of the preparation	CC663Series
Product use	Inkjet printing
Version #	01
Revision date	25-Apr-2012
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-1501
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com
2. Hazards Identificatio	n
Emergency overview	Harmful by inhalation and in contact with skin. Irritating to eyes. Inhalation may result in respiratory irritation.
Acute health effects	
Skin contact	Avoid contact with skin. Harmful in contact with skin.
	<i>2-Butoxyethyl acetate</i> Contact with skin may result in irritation. Harmful if absorbed through the skin.
Eye contact	Causes eye irritation. Avoid contact with eyes. Contact with eyes may result in irritation and Irritating to eyes.
	<i>2-Butoxyethyl acetate</i> Contact with eyes may result in irritation.
	<i>Gamma Butyrolactone</i> Irritating to eyes.
	<i>Propylene Carbonate</i> Contact with eyes may result in irritation.
Inhalation	Avoid breathing vapors or mists of this product. Harmful if inhaled.
	2-Butoxyethyl acetate Inhalation may result in respiratory irritation.
	Gamma Butyrolactone Inhalation may result in respiratory irritation.
Ingestion	May be harmful if swallowed.
	2-Butoxyethyl acetate Swallowing large amounts may cause digestive discomfort. Harmful if swallowed.
	Gamma Butyrolactone Harmful if swallowed. May depress the central nervous system.
Potential health effects	
Routes of exposure	Potential routes of exposure under normal use conditions are skin and eye contact; and inhalation

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

3. Composition / Inform	ation on Ingredients		
Components	-	CAS #	Percent
2-Butoxyethyl acetate		112-07-2	70 - 80
Carbon black		1333-86-4	2.5 - 5
Gamma Butyrolactone		96-48-0	2.5 - 5
Propylene Carbonate		108-32-7	2.5 - 5
Vinyl chloride-vinyl acetate copoly	mer	Proprietary	2.5 - 5
High molecular weight block copo	lymer with pigment affinic groups	No Data	1 - 2.5
Composition comments	Carbon black is present only in a bound for	m in this preparation.	
4. First Aid Measures			
First aid procedures			
Eye contact	Do not rub eyes. In case of contact, immed continuing to flush for 15 minutes. If irritat		
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.		
Inhalation	Move person to fresh air immediately. If sy	mptoms persist, get immediat	e medical attention.
Ingestion	If material is ingested, immediately contact	t a physician or poison control	center.
5. Fire Fighting Measure	s		
Flammable properties	Combustible liquid. Many liquids are lighter and flash back. During a fire, irritating and decomposition or combustion.		
Extinguishing media			
Suitable extinguishing media	Dry chemical, CO2, water spray or regular	foam. Avoid using a direct stre	eam of water.
Unsuitable extinguishing media	high volume water jet		
Specific methods	Do not direct a solid stream of water or foa and increase fire intensity. Standard proced explosion do not breathe fumes. Wear self necessary.	dure for chemical fires. In the	event of fire and/or
Hazardous combustion products	Refer to section 10.		
6. Accidental Release Me	easures		
Personal precautions	Avoid contact with skin Remove all sources equipment.	of ignition. Wear appropriate	personal protective
Environmental precautions	Do not let product enter drains. Do not flus	sh into surface water or sanita	ry sewer system.
Other information	Soak up with inert absorbent material. Use skin and eye. Use spark-proof tools and ex federal, state, and local regulations.		
7. Handling and Storage			
Handling	Use spark-proof tools and explosion-proof of open flame. Avoid contact with skin, eyes a smoking. Use with adequate ventilation.		
Storage	Keep away from heat, sparks and flame. Ke	eep away from oxidizers. Store	e at ambient temperature

Occupational exposure limits				
ACGIH				
Components		Туре	Value	Form
2-Butoxyethyl acetate (112-0 Carbon black (1333-86-4)	17-2)	TWA TWA	20.0000 ppm 3.0000 mg/m3	Inhalable fraction.
U.S Tennessee		-	Mala a	
Components		Туре	Value	
Carbon black (1333-86-4)		TWA	3.5000 mg/m3	
xposure guidelines	Exposure limits h	nave not been established	for this product.	
ingineering controls	Use in a well ver	ntilated area.		
Personal protective equipmer	nt			
General hygiene considerations	Handle in accord eyes and clothin		hygiene and safety practice	e. Avoid contact with skin
General	Use personal pro	otective equipment to mini	mize exposure to skin and	eye.
9. Physical & Chemical F	Properties			
Appearance	Not available.			
Color	Black.			
Ddor	Not available.			
Ddor threshold	Not available.			
Physical state	Liquid			
orm	Not available.			
Н	Not available.			
lelting point	Not available.			
reezing point	Not available.			
Boiling point	363.2 °F (184 °C	2)		
lash point	179.6 °F (82 °C)	Cleveland Open Cup		
Evaporation rate	not determined			
lammability limits in air, Ipper, % by volume	< 1.7 % v/v			
Flammability limits in air, ower, % by volume	> 8.4 % v/v			
/apor pressure	0.4 hPa			
/apor density	Not available.			
Specific gravity	0.97			
Relative density	Not available.			
Solubility (water)	Not miscible			
Auto-ignition temperature	Not available.			
Decomposition temperature	Not available.			
/0C	88.6 % w/w			
LO. Chemical Stability &	Reactivity In	formation		
Chemical stability	Stable under rec	ommended storage condit	tions.	
Incompatible materials	Strong oxidizing strong alkalies.	agents. This product may	react with strong acids. Th	is product may react with
Hazardous decomposition	-	/nitrogen/sulfur_and_wat	er. Irritating and/or toxic fu	imes and dases may be

products

reactions

11. Toxicological Informa				
Carcinogenicity	2B) and by the State of C both organizations indicat	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.		
ACGIH Carcinogens				
2-Butoxyethyl acetate (CA	S 112-07-2)	A3 Confirmed animal carcinogen with unknown relevance to humans.		
Carbon black (CAS 1333-86-4)		A3 Confirmed animal carcinogen with unknown relevance to humans.		
IARC Monographs. Overall	Evaluation of Carcinogenici	ty		
Carbon black (CAS 1333-8	6-4)	2B Possibly carcinogenic to humans.		
Gamma Butyrolactone (CA		3 Not classifiable as to carcinogenicity to humans.		
Vinyl chloride-vinyl acetate copolymer (CAS Proprietary) IARC Monographs: Evidence of carcinogenicity in huma		3 Not classifiable as to carcinogenicity to humans.		
Carbon black (CAS 1333-8		Inadequate data.		
Gamma Butyrolactone (CAS 96-48-0) Vinyl chloride-vinyl acetate copolymer (CAS Proprietary)		Inadequate data. No data.		
Serious eye damage/eye irritation	Not available.			
Symptoms and target organs				
Target Organs (NIOSH)				
2-Butoxyethyl acetate (CA	5 112-07-2)	Blood Central Nervous System Eyes Hemato system Kidneys Liver Lymphoid system Respiratory system Skin		
Carbon black (CAS 1333-8	6-4)	Eyes Respiratory system		
Further information	Complete toxicity data are not	available for this specific formulation		
12. Ecological Informatio	n			
Aquatic toxicity	This product has not been tested for ecological effects.			
Persistence and degradability	Not available.			
13. Disposal Consideratio	ns			
Disposal instructions	Dispose of in compliance with federal, state, and local regulations. Do not allow this materi drain into sewers/water supplies.			
14. Transport Informatio	n			
Further information	Not a dangerous good under I	DOT, IATA, ADR, IMDG, or RID.		

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

CERCLA (Superfund) reportat	e quantity
Occupational Safety and Heal	th Administration (OSHA)
29 CFR 1910.1200 hazardous chemical	Yes
Superfund Amendments and	Reauthorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	Yes
State regulations	
US - Pennsylvania RTK - H	lazardous Substances: Listed substance
Carbon black (CAS 1333	-86-4) Listed.
Regulatory information	Notified according to EU Regulations.
16. Other Information	
Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
HMIS® ratings	Health: 2 Flammability: 2 Physical hazard: 1
NFPA ratings	Health: 2 Flammability: 2 Instability: 1
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Issue date	25-Apr-2012
This data sheet contains changes from the previous version in section(s):	14. Transport Information: Further information
Manufacturer information	Hewlett-Packard Company 3000 Hanover Street Palo Alto, California 94304-1112 US (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	
	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds