

1. Product and Company	y Identification
Identification of the preparation	CC673Series
Product use	Inkjet printing
Version #	01
Revision date	02-May-2012
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-1501
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551
	Email: hpcustomer.inquiries@hp.com
2. Hazards Identificatio	n
Emergency overview	Harmful by inhalation and in contact with skin. Irritating to eyes. Inhalation may result in respiratory irritation.
Acute health effects	
Skin contact	Avoid contact with skin. Harmful in contact with skin.
	<i>2-Butoxyethyl acetate</i> Contact with skin may result in irritation. Harmful if absorbed through the skin.
Eye contact	Causes eye irritation. Avoid contact with eyes. Contact with eyes may result in irritation and Irritating to eyes.
	<i>2-Butoxyethyl acetate</i> Contact with eyes may result in irritation.
	Gamma Butyrolactone Irritating to eyes.
	<i>Propylene Carbonate</i> Contact with eyes may result in irritation.
Inhalation	Avoid breathing vapors or mists of this product. Harmful if inhaled.
	2-Butoxyethyl acetate Inhalation may result in respiratory irritation.
	<i>Gamma Butyrolactone</i> Inhalation may result in respiratory irritation.
Ingestion	May be harmful if swallowed.
	2-Butoxyethyl acetate Swallowing large amounts may cause digestive discomfort. Harmful if swallowed.
	<i>Gamma Butyrolactone</i> Harmful if swallowed. May depress the central nervous system.
Potential health effects	
Routes of exposure	Potential routes of exposure under normal use conditions are skin and eye contact; and inhalation

ation on Ingred	lients		
		CAS #	Percent
		112-07-2	70 - 80
		No Data	7.5 - 10
		96-48-0	2.5 - 5
		108-32-7	2.5 - 5
		Proprietary	0 - 1
	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation		
Move person to fre	sh air immediately. If syı	mptoms persist, get immediat	e medical attention.
If material is ingest	ted, immediately contact	a physician or poison control	center.
S			
and flash back. Dur	ring a fire, irritating and		
Dry chemical, CO2,	, water spray or regular f	oam. Avoid using a direct stro	eam of water.
high volume water	jet		
Wear self contained	d breathing apparatus fo	r fire fighting if necessary. Do	not direct a solid stream
Refer to section 10	. Oxides of carbon/nitrog	jen/sulfur, and water.	
asures			
Remove all sources with skin	s of ignition. Wear appro	priate personal protective equ	ipment. Avoid contact
Do not let product	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.		ry sewer system.
skin and eye. Use s	spark-proof tools and exp		
open flame. Avoid	Use spark-proof tools and explosion-proof equipment. Keep this product from heat, sparks, or open flame. Avoid contact with skin, eyes and clothing. Use with adequate ventilation. Keep awa from sources of ignition - No smoking		
Keep away from he	eat, sparks and flame. Ke		e at ambient temperature
ersonal Protect	ion		
	Туре	Value	
7-2)	TWA	20.0000 ppm	
Exposure limits hav	ve not been established f	or this product.	
	Do not rub eyes. Ir continuing to flush Wash affected area develops or persist Move person to free If material is ingest S Combustible liquid. and flash back. Du decomposition or co Dry chemical, CO2, high volume water Standard procedure Wear self container of water or foam ir Refer to section 10 Easures Remove all sources with skin Do not let product Soak up with inert skin and eye. Use s federal, state, and Use spark-proof too open flame. Avoid from sources of igr Keep away from he and atmospheric put	continuing to flush for 15 minutes. If irritati Wash affected areas thoroughly with mild s develops or persists. Move person to fresh air immediately. If syn If material is ingested, immediately contact <b>S</b> Combustible liquid. Many liquids are lighter and flash back. During a fire, irritating and decomposition or combustion. Dry chemical, CO2, water spray or regular f high volume water jet Standard procedure for chemical fires. In th Wear self contained breathing apparatus fo of water or foam into hot, burning pools; th Refer to section 10. Oxides of carbon/nitrog <b>Easures</b> Remove all sources of ignition. Wear approp with skin Do not let product enter drains. Do not flus Soak up with inert absorbent material. Use skin and eye. Use spark-proof tools and exp federal, state, and local regulations. Use spark-proof tools and explosion-proof e open flame. Avoid contact with skin, eyes a from sources of ignition - No smoking. Keep away from heat, sparks and flame. Ke and atmospheric pressure. Keep away from <b>Personal Protection</b>	CAS #           112-07-2           No Data           96-48-0           108-32-7           Proprietary   Do not rub eyes. In case of contact, immediately flush eyes with large ar continuing to flush for 15 minutes. If irritation persists get medical attent Wash affected areas thoroughly with mild soap and water. Get medical a develops or persists. Move person to fresh air immediately. If symptoms persist, get immediat If material is ingested, immediately contact a physician or poison control <b>S</b> Combustible liquid. Many liquids are lighter than water. Vapors may trava and flash back. During a fire, irritating and highly toxic gases may be get decomposition or combustion. Dry chemical, CO2, water spray or regular foam. Avoid using a direct strating high volume water jet Standard procedure for chemical fires. In the event of fire and/or explosi Wear self contained breathing apparatus for fire fighting if necessary. Decoin water or foam into hot, burning pools; this may result in frothing and Refer to section 10. Oxides of carbon/nitrogen/sulfur, and water. Easures Remove all sources of ignition. Wear appropriate personal protective equipment bids with skin Do not let product enter drains. Do not flush into surface water or sanita Soak up with inert absorbent material. Use personal protective equipment, skin and eye. Use spark-proof tools and explosion-proof equipment. Keep this product open flame. Avoid contact with skin, eyes and clothing. Use with adequa from sources of ignition - No smoking. Keep away from heat, sparks and flame. Keep away from oxidizers. Stort and atmospheric pressure. Keep away from excessive heat or cold. Type Type Yalue

## Personal protective equipment

General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing.
General	Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical P	roperties
Appearance	Not available.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
Physical state	Liquid
Form	Not available.
рН	Not available.
Melting point	Not available.
Freezing point	Not available.
Boiling point	363.2 °F (184 °C)
Flash point	179.6 °F (82 °C) Cleveland Open Cup
Evaporation rate	Not determined
Flammability limits in air, upper, % by volume	< 1.7 % v/v
Flammability limits in air, lower, % by volume	> 8.4 % v/v
Vapor pressure	0.4 hPa
Vapor density	Not available.
Specific gravity	0.97
Relative density	Not available.
Solubility (water)	Not miscible
Auto-ignition temperature	not self igniting
Decomposition temperature	Not available.
VOC	89.3 % w/w
10. Chemical Stability &	Reactivity Information
Chemical stability	Stable under recommended storage conditions.
Incompatible materials	Strong oxidizing agents. This product may react with strong acids. This product may react with strong alkalies.
Hazardous decomposition products	Oxides of carbon/nitrogen/sulfur, and water. Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.
Possibility of hazardous reactions	Will not occur.
11. Toxicological Inform	ation

## Carcinogenicity

ACGIH Carcinogens	
2-Butoxyethyl acetate (CAS 112-07-2)	A3 Confirmed animal carcinogen with unknown relevance to humans.
IARC Monographs. Overall Evaluation of Carcino	genicity
Gamma Butyrolactone (CAS 96-48-0)	3 Not classifiable as to carcinogenicity to humans.
IARC Monographs: Evidence of carcinogenicity in	n humans
Gamma Butyrolactone (CAS 96-48-0)	Inadequate data.
Serious eye damage/eye Not available. irritation	
Symptoms and target organs	
Target Organs (NIOSH)	
2-Butoxyethyl acetate (CAS 112-07-2)	Blood

	Central Nervous System Eyes Hemato system Kidneys Liver
	Lymphoid system Respiratory system Skin
Further information	Complete toxicity data are not available for this specific formulation
12. Ecological Information Aquatic toxicity Persistence and degradability	This product has not been tested for ecological effects.
<b>13. Disposal Considerati</b> Disposal instructions	<b>ONS</b> Dispose of in compliance with federal, state, and local regulations. Do not allow this material to drain into sewers/water supplies.
14. Transport Information	on la
Further information DOT Not regulated as dangerous goods	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
IATA Not regulated as dangerous goods IMDG	
Not regulated as dangerous goods <b>RID</b>	
Not regulated as dangerous goods	5.
15. Regulatory Informat	
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.
CERCLA (Superfund) reportab	le quantity
Occupational Safety and Heal 29 CFR 1910.1200 hazardous chemical	th Administration (OSHA) Yes
Superfund Amendments and F Hazard categories	Reauthorization Act of 1986 (SARA) Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	Yes
Regulatory information	Notified according to EU Regulations.
16. Other Information	
Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
HMIS® ratings	Health: 2 Flammability: 2 Physical hazard: 1
NFPA ratings	Health: 2 Flammability: 2 Instability: 1

Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Issue date	02-May-2012
This data sheet contains changes from the previous version in section(s):	14. Transport Information: Further information
Manufacturer information	Hewlett-Packard Company 3000 Hanover Street Palo Alto, California 94304-1112 US (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209

## **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds