

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the

preparation

CH118Series

Synonym(s) HP Designjet 788 Yellow Ink

Product use Inkjet printing.

Version # 04

Revision date 15-Oct-2010
CAS # Mixture

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Causes severe irritation of eyes, skin and mucous membranes.

After contact with skin, wash immediately with plenty of water.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Acute health effects

Skin contact Avoid contact with skin.

Harmful in contact with skin. Contact causes skin irritation. May cause sensitization by skin

119-61-9

contact.

Nickel, 5,5'-azobis-2,4,6(1H,3H,5H)-pyrimidinetrione Complexes

May cause sensitization by skin contact.

Eye contact Irritating to eyes.

3. Composition / Information on Ingredients

Inhalation Avoid breathing vapors or mists of this product. Inhalation of vapors or mists of the product

may be irritating to the respiratory system.

Ingestion Ingestion is not expected to be a primary route of exposure for this product under normal use

conditions. Harmful if swallowed.

Potential health effects

Benzophenone

Routes of exposure Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Carcinogenicity Contains Nickel. May cause cancer.

Components CAS# Percent 10 - 25 2-phenoxyethyl Acrylate 48145-04-6 multifunctional acrylate **Proprietary** 10 - 25 N-vinylcaprolactam 2235-00-9 10 - 25 Tridecyl Acrylate Ester 3076-04-8 10 - 25Diphenyl (2,4,6-trimethylbenzoyl) phospineoxide 75980-60-8 2.5 - 5

Material name: CH118Series MSDS US

10880 Version #: 04 Revision date: 15-Oct-2010 Print date: 15-Oct-2010

1 - 2.5

Epoxy Acrylate Oligomer	Proprietary	1 - 2.5	
1-Butanone, 2-(dimethylamino)-1-[4-(4-morpholinyl)phenyl]-2-(phenylmethyl)-	119313-12-1	< 1	
Nickel, 5,5'-azobis-2,4,6(1H,3H,5H)-pyrimidinetrione Complexes	68511-62-6	< 2	

4. First Aid Measures

First aid procedures

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Get medical attention immediately.

Skin contact In case of contact, immediately remove contaminated clothing and flush skin with copious

amounts of water. Wash clothing separately before reuse.

Get medical attention.

Inhalation Move person to fresh air immediately. If the affected person is not breathing, apply artificial

respiration. If breathing is difficult, give oxygen.

Get medical attention immediately.

Ingestion Rinse mouth out with water. If swallowed, do NOT induce vomiting. Give small amounts of water

to drink. Never give anything by mouth to an unconscious person.

Get medical attention immediately.

5. Fire Fighting Measures

Extinguishing media

Suitable extinguishing

media

Use any media suitable for the surrounding fires.

Unsuitable extinguishing

media

None known.

Protection of firefighters

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

Avoid runoff into storm sewers and ditches which lead to waterways.

Special protective equipment

for fire-fighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Hazardous combustion

products

Combustion will produce carbon dioxide, carbon monoxide, and nitrogen oxides. May include

oxides of phosphates.

6. Accidental Release Measures

Personal precautions Avoid contact with skin. Avoid inhalation of vapors or mists.

Do not touch or walk through spilled material. Ensure adequate ventilation. Use personal protective equipment to minimize exposure to skin and eye.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Absorb with earth, sand or other non-combustible material and transfer to containers for later

disposal.

Other information Soak up with inert absorbent material.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.

Wear personal protective equipment.

Storage Keep containers tightly closed in a cool, well-ventilated place.

Keep out of the reach of children.

8. Exposure Controls / Personal Protection

Occupational exposure limits

U.S. - OSHA

Components	Туре	Value	Form	
Nickel, 5,5'-azobis-2,4,6(1H,3H,5H)-pyrimidinetrione	PEL	1.0000 mg/m3	29 CFR 1910.1000	
Complexes (68511-62-6)			(Subpart Z)	

Material name: CH118Series MSDS US

10880 Version #: 04 Revision date: 15-Oct-2010 Print date: 15-Oct-2010

 Components
 Type
 Value
 Form

 TWA
 1.0000 mg/m3
 29 CFR 1910.1000 (Subpart Z)

U.S. - WEEL

 Components
 Type
 Value

 Benzophenone (119-61-9)
 TWA
 0.5000 mg/m3

Engineering controlsAttempts should be made to eliminate all contact with skin and eyes, and to limit inhalation

exposure. Facilities storing or utilizing this material should be equipped with an eyewash facility

and a safety shower.

Personal protective equipment

considerations

Eye / face protection Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection Wear appropriate chemical resistant clothing.

General hygiene Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing.

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after

handling the product.

Launder contaminated clothing before reuse.

9. Physical & Chemical Properties

Appearance Not available.

Color Yellow

Odor Not available.
Odor threshold Not available.

Physical state Liquid

Form Not available.

pH Not available.

Melting point Not available.

Freezing point Not available.

Boiling point 440.6 °F (227 °C)

Flash point > 199.4 °F (> 93.3 °C) Closed Cup

Evaporation rateNot available. **Flammability limits in air,**upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not available.

Vapor pressureNot available.Vapor densityNot available.

Specific gravity 1.01

Relative density

Solubility (water)

Auto-ignition temperature

Decomposition temperature

VOC

Not available.

Not available.

VOC

Not available.

10. Chemical Stability & Reactivity Information

Chemical stability Stable at normal conditions.

11. Toxicological Information

Serious eye damage/eye irritation

Not available.

Material name: CH118Series MSDS US

Skin sensitization Not available. Mutagenicity None known. **Teratogenicity** None known.

Further information Complete toxicity data are not available for this specific formulation

12. Ecological Information

Aquatic toxicity Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies.

Dispose of in compliance with federal, state, and local regulations.

14. Transport Information

Further information not regulated

DOT

Not regulated as dangerous goods.

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations This product is listed on the U.S. EPA TSCA Inventory.

> US TSCA 12(b): Contains 2,4-diethyl-9h-thioxanthen-9-one (CASRN 82799-44-8) and 4-methoxyphenol (CASRN 150-76-5), subject to export notification requirements.

US TSCA 4(a): Contains 4-methoxyphenol (CASRN 150-76-5), subject of a test rule at 40 CFR

Section 799.5115.

TSCA Section 5(a)(2) Significant New Use Rules: This product contains

2,4-diethyl-9h-thioxanthen-9-one (CASRN 82799-44-8) which is subject to a Significant New Use

Rule at 40 CFR Section 721.9664. TSCA 8(a) PAIR: 4-Methoxyphenol

SARA 302/304/311/312 hazardous chemicals: Tridecyl acrylate; Benzophenone

CERCLA (Superfund) reportable quantity

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - No

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Nο

Section 311 hazardous

chemical

Yes

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other Information

HMIS® ratings Health: 2

Flammability: 1 Physical hazard: 2

Material name: CH118Series MSDS US NFPA ratings Health: 2

Flammability: 1 Instability: 2

DisclaimerThis Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 15-Oct-2010 **Manufacturer information** Hewlett-Packard 11311 K-Tel Drive

Minnetonka, MN 55343 US

Product Information 1-800-925-0563

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CH118Series MSDS US

10880 Version #: 04 Revision date: 15-Oct-2010 Print date: 15-Oct-2010