

1. Product and Company Identification

CH131A **Material name** Use of the preparation Inkjet printing.

Version # 01

Revision date 03-09-2009 CAS# Mixture

ColorSpan 0901365-302 Synonym(s) Hewlett-Packard Company Company identification 3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomeringuiries@hp.com

Mar 09, 2009 Date prepared 343189 MSDS number

2. Hazards Identification

Emergency overview Causes severe irritation of eyes, skin and mucous membranes.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Acute health effects

Skin contact Avoid contact with skin.

Contact causes skin irritation.

Eye contact Irritating to eyes.

Avoid breathing vapors or mists of this product. Inhalation of vapors or mists of the product Inhalation

may be irritating to the respiratory system.

Ingestion Ingestion is not expected to be a primary route of exposure for this product under normal use

conditions. Harmful if swallowed.

Potential health effects

Potential routes of exposure under normal use conditions are skin, eye contact and inhalation. Routes of exposure

3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight
Acrylic Acid,Monoalkyl,Alkylaryl Ester	3076-04-8	10-30
Multifunctional Acrylate	84170-74-1	10-30
N-vinylcaprolactam	2235-00-9	10-30
Substituted Phosphine Oxide	75980-60-8	1-5
2-Benzoyl-2-Dimethylamino-4-Morpholinobutyrophenone	119313-12-1	0-1

4. First Aid Measures

First aid procedures

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also Eye contact

under the eyelids, for at least 15 minutes.

Get medical attention immediately.

Material name CH131A MSDS US Creation date Nov 20, 2008 Version number 1



Skin contact In case of contact, immediately remove contaminated clothing and flush skin with copious

amounts of water. Wash clothing separately before reuse.

If irritation persists get medical attention.

Inhalation Move person to fresh air immediately. If the affected person is not breathing, apply artificial

respiration. If breathing is difficult, give oxygen.

Get medical attention immediately.

Ingestion Rinse mouth out with water. Give several glasses of water. If swallowed, do NOT induce

vomiting. Never give anything by mouth to an unconscious person.

Get medical attention immediately.

5. Fire Fighting Measures

Flash point and method > 203 °F (> 95 °C) Closed Cup;

Hazardous combustion

products

Carbon monoxide and carbon dioxide.

Flammable properties

Burning may produce thick, irritating smoke.

Extinguishing media

Suitable extinguishing

media

Dry chemical, foam, carbon dioxide. Do not use water. Use water to cool fire-exposed

containers and to protect personnel.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Unusual fire and explosion

hazard

Burning may produce thick, irritating smoke.

Protection of firefighters

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

Avoid runoff into storm sewers and ditches which lead to waterways.

Special firefighting procedures

Use a water spray to cool fully closed containers.

6. Accidental Release Measures

Personal precautions Avoid contact with skin Avoid inhalation of vapors or mists. Do not touch or walk through

spilled material.

Ensure adequate ventilation.

Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor

formation use a respirator with an approved filter.

Environmental precautions

Methods for cleaning up

Do not flush into surface water or sanitary sewer system.

Absorb with earth, sand or other non-combustible material and transfer to containers for later

disposal.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.

Use with adequate ventilation.

Wear personal protective equipment.

Storage Keep containers tightly closed in a cool, well-ventilated place. Store away from strong

oxidizers. Do not store near acids. Keep away from heat, sparks, and flame. Keep away from

direct sunlight.

Keep out of the reach of children.

8. Exposure Controls / Personal Protection

Personal protective equipment

Eye / face protection Wear safety glasses; chemical goggles (if splashing is possible).

Provide an emergency eye wash fountain and quick drench shower in the immediate work

area.

Skin protection Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant gloves.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory

equipment.

Material nameCH131AMSDS USCreation dateNov 20, 2008Version number 12 / 5



General hygeine considerations

Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after

handling the product.

Launder contaminated clothing before reuse.

9. Physical & Chemical Properties

ColorMagentaOdorCharacteristic.Odor thresholdNot available.Physical stateLiquid.

Form Liquid.
pH Not available.

Melting pointNot available.Freezing pointNot available.

 Boiling point
 > 212 °F (> 100 °C) (@ 760mmHg)

 Flash point
 > 203 °F (> 95 °C) Closed Cup;

 Evaporation rate
 < 0.05 BuAc</td>

Evaporation rate < 0.05 BuAc
Flammability Not available.
Flammability limits in air,
upper, % by volume

Flammability limits in air,

lower, % by volume

Not available.

Vapor pressure Not available.

Vapor density > 1

Specific gravity 1.02 - 1.1 (@ 25 C)

Relative density

Solubility (water)

Not available.

< 0.1 g/g

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

VOC < 95 g/L

Viscosity 10 - 30 cP (@25 C)

10. Chemical Stability & Reactivity Information

Chemical stability Stable at normal conditions.

Conditions to avoid Heat, flames and sparks. Exposure to sunlight.

Incompatible materials Strong acids, alkalies and oxidizing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Possibility of hazardous Hazardous polymerization may occur.

reactions

11. Toxicological Information

Chronic toxicity Prolonged exposure causes local irritation of skin and mucous membranes, especially to the

eyes.

Teratogenicity None known.

Material name CH131A MSDS US
Creation date Nov 20, 2008 Version number 1 3 / 5



12. Ecological Information

Aquatic toxicity Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Not available. Persistence and degradability

13. Disposal Considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies.

Dispose of in compliance with federal, state, and local regulations.

14. Transport Information

IATA

Not regulated as dangerous goods.

General not regulated

15. Regulatory Information

US federal regulations This product is listed on the U.S. EPA TSCA Inventory.

US TSCA 12(b): Contains 2,4-diethyl-9h-thioxanthen-9-one (CASRN 82799-44-8) and 4-methoxyphenol (CASRN 150-76-5), subject to export notification requirements.

US TSCA 4(a): Contains 4-methoxyphenol (CASRN 150-76-5), subject of a test rule at 40

CFR Section 799.5115.

TSCA Section 5(a)(2) Significant New Use Rules: This product contains

2,4-diethyl-9h-thioxanthen-9-one (CASRN 82799-44-8) which is subject to a Significant New

Use Rule at 40 CFR Section 721.9664.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

Section 311 hazardous

chemical

Yes

16. Other Information

Health: 2 **HMIS®** ratings

Flammability: 1 Physical hazard: 2 Personal protection: B

NFPA ratings Health: 2

Flammability: 1 Instability: 2

Issue date Mar 9 2009 12:42PM

Revision

Replaces sheet dated Mar 1 2009 12:48AM

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Disclaimer

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

MSDS sections updated 15. Regulatory Information: US federal regulations

Material name CH131A MSDS US Creation date Nov 20, 2008 Version number 1 4/5



Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Manufacturer information Hewlett-Packard

11311 K-Tel Drive

Minnetonka, MN 55343 US

Product Information 1-800-925-0563

Material nameCH131AMSDS USCreation dateNov 20, 2008Version number 15 / 5