



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the preparation CH144Series

Synonym(s) HP SC100 Black Ink

Product use Inkjet printing

Version # 02

Revision date 01-May-2012

CAS # Mixture

Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-1501

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Harmful by inhalation and in contact with skin. Contact with skin and eyes may result in irritation. Inhalation may result in respiratory irritation.

Acute health effects

Skin contact Avoid contact with skin.
Harmful in contact with skin.

Eye contact Avoid contact with eyes.
Contact with eyes may result in irritation.

Inhalation Avoid breathing vapors or mists of this product.
Harmful if inhaled.

Ingestion May be harmful if swallowed.

Potential health effects

Routes of exposure Potential routes of exposure under normal use conditions are skin and eye contact; and inhalation

Chronic health effects None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

Components	CAS #	Percent
2-(2-ethoxyethoxy)ethyl Acetate	112-15-2	>25
2-Butoxyethyl acetate	112-07-2	>40
2-methoxy-1-methylethylacetate	108-65-6	<10
Cyclohexanone	108-94-1	<10

4. First Aid Measures

First aid procedures

Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
Skin contact	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed.
Inhalation	Move person to fresh air immediately. If symptoms persist, get immediate medical attention.
Ingestion	Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. Fire Fighting Measures

Extinguishing media

Suitable extinguishing media For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.
For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Protection of firefighters

Protective equipment and precautions for firefighters Move containers from fire area if you can do it without risk.
Avoid runoff into storm sewers and ditches which lead to waterways.

Special protective equipment for fire-fighters Firefighters should wear full protective clothing including self contained breathing apparatus.

6. Accidental Release Measures

Personal precautions

Avoid contact with skin. Avoid inhalation of vapors or mists.
Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition.
Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Other information

Dispose of in compliance with federal, state, and local regulations.

7. Handling and Storage

Handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.
Use with adequate ventilation.
Wear personal protective equipment.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components

	Type	Value
2-Butoxyethyl acetate (112-07-2)	TWA	20.0000 ppm
Cyclohexanone (108-94-1)	BEI	8.0000 mg/l
		80.0000 mg/l
	STEL	50.0000 ppm
	TWA	20.0000 ppm

U.S. - OSHA

Components

	Type	Value
Cyclohexanone (108-94-1)	PEL	50.0000 ppm
		200.0000 mg/m3

U.S. - Tennessee**Components****Type****Value**

Cyclohexanone (108-94-1)	TWA	25.0000 ppm 100.0000 mg/m3
--------------------------	-----	-------------------------------

U.S. - WEEL**Components****Type****Value**

2-methoxy-1-methylethylacetate (108-65-6)	TWA	50.0000 ppm
---	-----	-------------

Personal protective equipment**Eye / face protection**

Wear safety glasses; chemical goggles (if splashing is possible).
Eye wash fountain and emergency showers are recommended.

Skin protection

Wear appropriate chemical resistant clothing.
Wear appropriate chemical resistant gloves.

Respiratory protection

Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

General hygiene considerations

Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing.
When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.
Launder contaminated clothing before reuse.

9. Physical & Chemical Properties

Appearance	Not available.
Color	Black.
Odor	Solvent.
Odor threshold	Not available.
Physical state	Liquid
Form	Liquid.
pH	Not available.
Melting point	Not available.
Freezing point	Not available.
Boiling point	Not available.
Flash point	154.4 °F (68 °C) Closed Cup
Evaporation rate	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	Not available.
Relative density	Not available.
Solubility (water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
VOC	770 g/L
Other information	For other VOC regulatory data/information see section 15.

10. Chemical Stability & Reactivity Information

Chemical stability	Stable at normal conditions.
Conditions to avoid	Heat, flames and sparks.
Possibility of hazardous reactions	None known.

11. Toxicological Information

Carcinogenicity

ACGIH Carcinogens

2-Butoxyethyl acetate (CAS 112-07-2)

A3 Confirmed animal carcinogen with unknown relevance to humans.

Cyclohexanone (CAS 108-94-1)

A3 Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Cyclohexanone (CAS 108-94-1)

3 Not classifiable as to carcinogenicity to humans.

IARC Monographs: Evidence of carcinogenicity in humans

Cyclohexanone (CAS 108-94-1)

No data.

Serious eye damage/eye irritation Not available.

Sensitization

US ACGIH Threshold Limit Values: Skin designation

Cyclohexanone (CAS 108-94-1)

Can be absorbed through the skin.

Symptoms and target organs

Target Organs (NIOSH)

2-Butoxyethyl acetate (CAS 112-07-2)

Blood
Central Nervous System
Eyes
Hemato system
Kidneys

Cyclohexanone (CAS 108-94-1)

Liver
Lymphoid system
Respiratory system
Skin
Central Nervous System
Eyes
Kidneys
Liver
Respiratory system
Skin

Further information Complete toxicity data are not available for this specific formulation

12. Ecological Information

Ecotoxicity No information available.

Aquatic toxicity No information available.

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

14. Transport Information

DOT

Basic shipping requirements:

UN number NA1993

Proper shipping name Combustible liquid n.o.s. (2-methoxy-1-methylethyl acetate, cyclohexanone) -Not regulated in quantities less than 119 gallons

Hazard class Combustible

Packing group III

Additional information:

ERG number 128

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - Yes
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

State regulations**US - Pennsylvania RTK - Hazardous Substances: Listed substance**

Cyclohexanone (CAS 108-94-1) Listed.

Regulatory information Notified according to EU Regulations.

Other information Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).
VOC content (less water, less exempt compounds) = < 770 g/L (U.S. requirement, not for emissions)

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

HMIS® ratings Health: 2
Flammability: 2
Physical hazard: 1
Personal protection: B

NFPA ratings Health: 2
Flammability: 2
Instability: 1

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date

01-May-2012

This data sheet contains changes from the previous version in section(s):

This document has undergone significant changes and should be reviewed in its entirety.

Manufacturer information

Hewlett-Packard Company
3000 Hanover Street
Palo Alto, California 94304-1112 US
Product Information 1-800-925-0563

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCPLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds