

1. Product and Company	Identification	
Identification of the preparation	CH146Series	
Synonym(s)	HP SC101 Cyan Ink	
Product use	Inkjet printing	
Version #	02	
Revision date	01-May-2012	
CAS #	Mixture	
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-1501	
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com	
2. Hazards Identification		
Emergency overview	Harmful by inhalation and in contact with skin. Contact with skin and eyes may result in irritation. Inhalation may result in respiratory irritation.	
Acute health effects		
Skin contact	Avoid contact with skin. Harmful in contact with skin.	
Eye contact	Avoid contact with eyes. Contact with eyes may result in irritation.	
Inhalation	Avoid breathing vapors or mists of this product. Harmful if inhaled.	
Ingestion	May be harmful if swallowed.	
Potential health effects		
Routes of exposure	Potential routes of exposure under normal use conditions are skin and eye contact; and inhalation	
Chronic health effects	None known.	
Carcinogenicity	None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.	

3. Composition / Information on Ingredients

Components	CAS #	Percent
2-Butoxyethyl acetate	112-07-2	>70
2-methoxy-1-methylethylacetate	108-65-6	<10
Cyclohexanone	108-94-1	<10

4. First Aid Measures

First aid procedures

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.

Skin contact	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed.
Inhalation	Move person to fresh air immediately. If symptoms persist, get immediate medical attention.
Ingestion	Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. Fire Fighting Measures

Extinguishing media	
Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Protection of firefighters	
Protective equipment and precautions for firefighters	Move containers from fire area if you can do it without risk. Avoid runoff into storm sewers and ditches which lead to waterways.
Special protective equipment for fire-fighters	Firefighters should wear full protective clothing including self contained breathing apparatus.

6. Accidental Release Measures

Personal precautions	Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition. Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.	
Environmental precautions	Do not flush into surface water or sanitary sewer system.	
Methods for cleaning up	Jup Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Other information	Dispose of in compliance with federal, state, and local regulations.	
7. Handling and Storage		
Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Wear personal protective equipment.	
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.	

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH			
Components	Туре	Value	
2-Butoxyethyl acetate (112-07-2)	TWA	20.0000 ppm	
Cyclohexanone (108-94-1)	BEI	8.0000 mg/l	
		80.0000 mg/l	
	STEL	50.0000 ppm	
	TWA	20.0000 ppm	
U.S OSHA			
Components	Туре	Value	
Cyclohexanone (108-94-1)	PEL	50.0000 ppm	
		200.0000 mg/m3	
U.S Tennessee			
Components	Туре	Value	
Cyclohexanone (108-94-1)	TWA	25.0000 ppm	
		100.0000 mg/m3	

U.S WEEL			
Components		Туре	Value
2-methoxy-1-methylethylacetate (108-65-6)		TWA	50.0000 ppm
ersonal protective equipme	nt		
Eye / face protection	, 2	; chemical goggles (if and emergency showe	splashing is possible). rs are recommended.
Skin protection	Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant gloves.		
Respiratory protection	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.		
General hygiene considerations	When using, do not handling the produc	eat, drink or smoke.	kin. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after use.

9. Physical & Chemical Properties

Appearance	Not available.
Color	Cyan
Odor	Solvent.
Odor threshold	Not available.
Physical state	Liquid
Form	Liquid.
рН	Not available.
Melting point	Not available.
Freezing point	Not available.
Boiling point	Not available.
Flash point	152.6 °F (67 °C) Closed Cup
Evaporation rate	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	Not available.
Relative density	Not available.
Solubility (water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
VOC	903 g/L
Other information	For other VOC regulatory data/information see section 15.

Chemical stability	Stable at normal conditions.
Conditions to avoid	Heat, flames and sparks.
Possibility of hazardous reactions	None known.

11. Toxicological Information

Carcinogenicity

ACGIH Carcinogens

2-Butoxyethyl acetate (CAS 112-07-2)

A3 Confirmed animal carcinogen with unknown relevance to humans.

Cyclohexanone (CAS 108-94-1)		A3 Confirmed animal carcinogen with unknown relevance to humans.
IARC Monographs. Overall	Evaluation of Carcinogenici	ty
Cyclohexanone (CAS 108-94-1) IARC Monographs: Evidence of carcinogenicity in huma		3 Not classifiable as to carcinogenicity to humans. ans
Cyclohexanone (CAS 108-94-1)		No data.
Serious eye damage/eye irritation	Not available.	
Sensitization		
US ACGIH Threshold Limit	Values: Skin designation	
Cyclohexanone (CAS 108-	94-1)	Can be absorbed through the skin.
Symptoms and target organs		
Target Organs (NIOSH)		
2-Butoxyethyl acetate (CAS 112-07-2) Cyclohexanone (CAS 108-94-1)		Blood Central Nervous System Eyes Hemato system Kidneys Liver Lymphoid system Respiratory system Skin Central Nervous System Eyes Kidneys Liver Respiratory system Skin available for this specific formulation
Ecotoxicity	No information available.	
Aquatic toxicity	No information available.	
Persistence and degradability		
13. Disposal Consideration	ons	
Disposal instructions	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.	
14. Transport Informatio	n	
DOT		
Basic shipping requirement	ts:	
UN number Proper shipping name	NA1993 Combustible liquid n.o.s. (2-methoxy-1-methylethyl acetate, cyclohexanone) -Not regulated in quantities less than 119 gallons	
Hazard class Packing group	Combustible III	
Additional information:	III	
	III 128	
Additional information: ERG number IATA	128	
Additional information: ERG number	128	

IMDG

Not regulated as dangerous goods.

Not regulated as dangerous goods.

	4 ¹		
15. Regulatory Information			
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.		
CERCLA (Superfund) reportal None	ble quantity		
Occupational Safety and Heal	Ith Administration (OSHA)		
29 CFR 1910.1200 hazardous chemical	Yes		
Superfund Amendments and	Reauthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No		
Section 302 extremely hazardous substance	No		
Section 311 hazardous chemical	Yes		
State regulations			
US - Pennsylvania RTK - I	Hazardous Substances: Listed substance		
Cyclohexanone (CAS 10	8-94-1) Listed.		
Regulatory information	Notified according to EU Regulations.		
Other information	 Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments). Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments). VOC content (less water, less exempt compounds) = < 903 g/L (U.S. requirement, not for emissions) 		
16. Other Information			
Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).		
HMIS® ratings	Health: 2 Flammability: 2 Physical hazard: 1 Personal protection: B		
NFPA ratings	Health: 2 Flammability: 2 Instability: 1		
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.		
Issue date	01-May-2012		
This data sheet contains changes from the previous version in section(s):	This document has undergone significant changes and should be reviewed in its entirety.		

Manufacturer information	Hewlett-Packard Company 3000 Hanover Street
	Palo Alto, California 94304-1112 US Product Information 1-800-925-0563

Explanation of abbreviations

American Conference of Governmental Industrial Hygienists
Chemical Abstracts Service
Comprehensive Environmental Response Compensation and Liability Act
Code of Federal Regulations
Cleveland Open Cup
Department of Transportation
Emergency Planning and Community Right-to-Know Act (aka SARA)
International Agency for Research on Cancer
National Institute for Occupational Safety and Health
National Toxicology Program
Occupational Safety and Health Administration
Permissible Exposure Limit
Resource Conservation and Recovery Act
Recommended
Recommended Exposure Limit
Superfund Amendments and Reauthorization Act of 1986
Short-Term Exposure Limit
Toxicity Characteristics Leaching Procedure
Threshold Limit Value
Toxic Substances Control Act
Volatile Organic Compounds