

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the

preparation

CE035Series

Product use Inkjet printing. For use only in inkjet printing

Version #

Revision date 08-Nov-2011 CAS# Mixture

Company identification Hewlett-Packard Company

> 3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview

Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact Cyclo Amide

Contact with skin may result in irritation.

Megaface F-444

May cause skin irritation.

Eye contact Cyclo Amide

Contact with eyes may result in irritation.

Megaface F-444

Contact with eyes may result in irritation.

Inhalation Cyclo Amide

Inhalation may result in respiratory irritation.

Ingestion Cyclo Amide

Swallowing large amounts may cause digestive discomfort.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

None of the components present in this formulation at concentrations equal to or greater than Carcinogenicity

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Specific hazards Use personal protective equipment to minimize exposure to skin and eye.

Material name: CE035Series MSDS US 1/6

3. Composition / Information on Ingredients Components CAS# Percent Cyclo Amide **Proprietary** 10 - 15 2.5 - 5Carbon black **Proprietary** Diethylene glycol 111-46-6 2.5 - 5 Megaface F-444 N/A 0 - 0.17732-18-5 >70 Water

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

Carbon black is present only in a bound form in this preparation.

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

InhalationRemove to fresh air. If symptoms persist, get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

Flammable properties Hydrogen fluoride, a corrosive and toxic gas, and other potentially hazardous fluorine-containing

compounds may be released upon combustion.

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Specific methods
Hazardous combustion

products

None established. Refer to section 10.

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containmentDike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Other information

Soak up with inert absorbent material.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

Keep at temperatures between 15 and 35°C.

Material name: CE035Series MSDS US

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components **Type Value**

Carbon black (Proprietary) **TWA** 3.5000 mg/m3

U.S. - Tennessee

Value Components **Type**

Carbon black (Proprietary) TWA 3.5000 mg/m3

U.S. - WEEL

Components Value Type

Diethylene glycol (111-46-6) **TWA** 10.0000 mg/m3

Exposure limits have not been established for this product. **Exposure guidelines**

Personal protective equipment

Eye / face protection Wear safety glasses with side shields (or goggles). Skin protection Wear appropriate chemical resistant clothing.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Not available. **Appearance**

Color Black.

Odor Not available. **Odor threshold** Not available.

Physical state Liauid

Form Not available. 8 - 10 pН

Melting point Not available. Freezing point Not available. **Boiling point** Not available.

Flash point > 200 °F (> 93.3 °C) Pensky-Martens Closed Cup

Evaporation rate Not available. Flammability limits in air, Not available.

upper, % by volume

Flammability limits in air,

Not available.

lower, % by volume

Not available. Vapor pressure Vapor density Not available.

1 - 1.1Specific gravity

Relative density Not available. Not available. Solubility (water) **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. VOC < 180 g/l

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions. **Incompatible materials** Incompatible with strong bases and oxidizing agents.

Material name: CE035Series MSDS US 3/6

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons., fluorinated hydrocarbons and hydrogen

fluoride.

Possibility of hazardous

reactions

None known.

11. Toxicological Information

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.

ACGIH Carcinogens

Carbon black (CAS Proprietary)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS Proprietary)

2B Possibly carcinogenic to humans.

IARC Monographs: Evidence of carcinogenicity in humans

Carbon black (CAS Proprietary)

Inadequate data.

Serious eye damage/eye

irritation

Not available.

Symptoms and target organs

Target Organs (NIOSH)

Carbon black (CAS Proprietary)

Eyes

Respiratory system

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Ecotoxicity No information available. **Aquatic toxicity** No information available.

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

14. Transport Information

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US TSCA 12(b): Does not contain listed chemicals.

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical

No

Material name: CE035Series MSDS US

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous

chemical

No

State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

Carbon black (CAS Proprietary) Listed. Diethylene glycol (CAS 111-46-6) Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information VOC content (less water, less exempt compounds) = < 993 g/L (U.S. requirement, not for

emissions)

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

HMIS® ratings Health: 1

> Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 08-Nov-2011

This data sheet contains changes from the previous version in section(s):

14. Transport Information: Further information 15. Regulatory Information: Other information

Manufacturer information Hewlett-Packard Company 3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CE035Series MSDS US

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CE035Series MSDS US